



# AMERICAN MADE TOUGH.



**Bulldog**  
HOSE COMPANY

**GOODYEAR**  
RUBBER PRODUCTS, INC.

 **727-342-5088**

You can also email us at  
[GRP@goodyearrubberproducts.com](mailto:GRP@goodyearrubberproducts.com)



# PERFORMANCE FIREFIGHTERS DEPEND ON.

## American Made Tough.

BullDog Hose Company, part of Puck Enterprises, is a legend in firefighting hose technology. With a commitment to firefighters that is unparalleled, BullDog is at the forefront of fire hose design and construction. From our earliest hose to Hi-Combat® II, Firepower™ II, Hi-Vol and Ultima, our dedication to constant research and development has positioned us as a premier innovator in fire hose products. BullDog, the hose of choice for the majority of fire departments throughout the USA, has come to stand for high performance, durability and safety, with American-made products that are built to last. BullDog is a quality manufacturer of firefighting hose and flexible pipeline systems.



**BullDog's Industrial Hose  
Two-Year Warranty**  
[bulldoghose.com/resources](http://bulldoghose.com/resources)



**BullDog's Municipal Fire Hose  
Ten-Year Warranty**  
[bulldoghose.com/resources](http://bulldoghose.com/resources)



**GOODYEAR**  
RUBBER PRODUCTS, INC.

727-342-5088

You can also email us at  
[GRP@goodyearrubberproducts.com](mailto:GRP@goodyearrubberproducts.com)

# SETTING THE STANDARD FOR EXCELLENCE.

## HI-COMBAT II®

Ultimate Aggressive Interior Attack Fire Hose

Hi-Combat II® is the ultimate in firefighting hose technology for aggressive interior combat operations. Its unique design gives combat firefighters the performance, flexibility, and endurance to deal with the toughest challenges. A special weave, high-tech nylon-polyester outer jacket encases an inner lining consisting of a one-piece, extruded-through-the-weave hose for optimum performance and reliability.



**Excellent Kink Resistance & Lowest Drag Coefficient** ➤

**Superior Abrasion Performance** 🛡️

**Anti-Burst Technology With a 1/2" Hole** 🔧

**Chemical & Water Resistant Liner** 🚰

**Excellent Heat & Cold Resistance** 🔥



Size	Pressure						Bowl Size	Weight (50'/15M)		Coil Diameter (50'/15M)	
	Service		Proof		Burst			lbs	kg	inch	mm
inch mm	psi	kpa	psi	kpa	psi	kpa	inch			inch	mm
1-3/4 45	500	3500	1000	7000	1500	10500	2-1/8	18	8.1	16.5	419
2 50	500	3500	1000	7000	1500	10500	2-3/8	20	9.07	17.5	445
2-1/2 65	500	3500	1000	7000	1500	10500	2-7/8	23	10.4	18.5	470



# SUPERIOR PERFORMANCE.

## FIREPOWER II™

Aggressive Interior Attack Fire Hose

Firepower II™ is an extremely durable double-jacketed hose made from a high-tech nylon-polyester outer jacket, with durability and flow that make it an invaluable firefighting tool. This product has excellent packing capabilities for a premium hose and improves hose-handling applications with an easy-to-grip material.



Unrivaled Kink Resistance

Superior Abrasion Performance

Significantly Reduces Drag

Superior Water Resistant Outer Jacket

Six Times More Heat Resistance



Size	Pressure						Bowl Size	Weight (50'/15M)	Coil Diameter (50'/15M)		
	Service		Proof		Burst						
inch mm	psi	kpa	psi	kpa	psi	kpa	inch	lbs	kg	inch	mm
1-3/4 45	500	3500	1000	7000	1500	10500	2-1/8	18	8.1	16.5	419
2 50	500	3500	1000	7000	1500	10500	2-3/8	20	9.1	17.5	445
2-1/2 65	500	3500	1000	7000	1500	10500	2-7/8	23	10.4	18.5	470

# ENGINEERED FOR DURABILITY AND FLEXIBILITY.

## ULTIMA™

Double Jacket Rubber-Lined Attack Fire Hose

BullDog Ultima™ is a durable, double-jacketed hose, constructed with staple-polyester, both warp and filler, and lined with a high-tech EPDM tube. Its engineered design, for 75 PSI and higher nozzle applications, guarantees minimum weight with maximum durability and packability with minimal friction loss. The standard color for Ultima Hose is white. Other colors available with our innovative Armour Jacket abrasion-resistant coatings are red, yellow, blue, black, green, tan, orange.



Unrivaled Kink Resistance 




Superior Abrasion Performance 

Lightweight, Durable & Flexible 

Superior Water Resistant Outer Jacket 

Excellent Heat & Cold Resistance 



Size		Standard color	Pressure						Bowl Size	Weight (50'/15M)		Coil Diameter (50'/15M)	
			Service		Proof		Burst			lbs	kg	inch	mm
inch	mm		psi	kpa	psi	kpa	psi	kpa	inch	lbs	kg	inch	mm
1-1/2	38 	White	400	2800	800	5600	1200	8400	1-15/16	13	5.9	18	457
1-3/4	45 	White	400	2800	800	5600	1200	8400	2-1/8	15	6.8	18	457
2	50	White	400	2800	800	5600	1200	8400	2-2/5	17	7.7	19	483
2-1/2	65 	White	400	2800	800	5600	1200	8400	3	22	10.0	21	533
3	75	White	400	2800	800	5600	1200	8400	3-1/2	29	13.2	21	533



**GOODYEAR**  
RUBBER PRODUCTS, INC.

 727-342-5088

You can also email us at  
[GRP@goodyearrubberproducts.com](mailto:GRP@goodyearrubberproducts.com)

# LIGHTWEIGHT. COMPACT. DURABLE.



## HI-VOL®

Large Diameter Supply Hose

Hi-Vol® is a tough supply hose that maintains excellent water flow. It is the premium extruded-through-the-weave, large-diameter, nitrile-rubber hose with the ability to deliver more water. This supply hose is compact and durable with a high resistance to oils, chemicals, UV and ozone. A tough, high-tensile cover and lining, permanently interlocked with the synthetic reinforcement, provides greater abrasion and puncture resistance, along with unmatched kink resistance.





**Superior Efficiency,  
Delivers More GPM** 

**Superior Abrasion  
Performance** 

**Lightweight  
& Flexible,  
Easy to Handle** 

**Smooth Inner  
Liner Reduces  
Friction Loss** 



Size		Standard color	Pressure			Bowl Size	Weight (100'/30M)		Coil Diameter (100'/30M)				
inch	mm		Service	Proof	Burst	inch	lbs	kg	inch	mm			
			psi	kpa	psi	kpa							
3	75	Yellow/Red	300	2100	600	4200	900	6300	3-5/16	60	27.2	25	635
4	100 	Yellow/Red	225	1575	450	3150	675	4725	4-5/32	84	38.1	24	610
5	125 	Yellow/Red	200	1400	400	2800	600	4200	5-3/8	104	47.2	27	686
6	150	Yellow	200	1400	400	2800	600	4200	6-15/32	148	67.1	32	813

**GOODYEAR**  
RUBBER PRODUCTS, INC.

 **727-342-5088**

You can also email us at  
[GRP@goodyearrubberproducts.com](mailto:GRP@goodyearrubberproducts.com)

# IMPROVED PACKABILITY, HI-VISIBILITY.

## HI-VOL TPU™

Large Diameter Supply Hose

Hi-Vol TPU™ is an extruded-through-the-weave TPU hose that provides excellent abrasion resistance, reduced weight, and improved kink resistance in comparison to rubber, as well as UV and ozone resistance. The smooth finish allows for easier deployment and retrieval. Hi-Vol TPU is the next generation of supply hose.

Ultra Lightweight  
& Compact



Superior Abrasion  
Performance



TPU Construction  
and Ultra-Smooth  
Liner Reduces  
Friction Loss



Size		Pressure						Bowl Size	Weight (100'/30M)	Coil Diameter (100'/30M)		
		Service		Proof		Burst						
inch	mm	psi	kpa	psi	kpa	psi	kpa	inch	lbs	kg	inch	mm
4	100	200	1400	400	2800	600	4200	4-5/16	75	34.0	22	560
5	125	200	1400	400	2800	600	4200	5-3/8	94	42.6	26	660



**GOODYEAR**  
RUBBER PRODUCTS, INC.

727-342-5088

You can also email us at  
[GRP@goodyearrubberproducts.com](mailto:GRP@goodyearrubberproducts.com)



# HIGH RESISTANCE. LOW MAINTENANCE.

## FLOMASTER™

Rubber Covered Lightweight Attack and Supply Fire Hose

BullDog FloMaster™ is a lightweight hose with Nitrile/PVC through-the-weave rubber covered construction. It's design gives high resistance to oil, gasoline, and a wide range of chemicals with no maintenance or drying required. FloMaster is available in red and yellow.



**Superior Abrasion Performance**



**Lightweight, Durable & Flexible**



**Chemical & Water Resistant Liner**



**Excellent Heat & Cold Resistance**



**Minimal Friction Loss**



Size	Standard color	Service	Pressure			Bowl Size	Weight (50'/15M)	Coil Diameter (50'/15M)
			psi	kpa	Burst			
inch mm		psi kpa	psi kpa	psi kpa	inch	lbs kg	inch mm	
1-1/2 38	Red	300 2100	600 4200	900 6300	1-13/16	16 7.2	18 457	
1-3/4 45	Red	300 2100	600 4200	900 6300	2-1/16	19 8.6	18 457	



**GOODYEAR**  
RUBBER PRODUCTS, INC.

727-342-5088

You can also email us at  
[GRP@goodyearrubberproducts.com](mailto:GRP@goodyearrubberproducts.com)

## FLOMASTER™

Size	Standard color	Pressure						Bowl Size	Weight (50'/15M)	Coil Diameter (50'/15M)	
		Service		Proof		Burst				inch	mm
inch mm		psi kpa	psi kpa	psi kpa	psi kpa	psi kpa	inch	lbs kg	inch	mm	
2 50	Red	300 2100	600 4200	900 6300	2-3/8	22 10.0	19 483				
2-1/2 65	Red	300 2100	600 4200	900 6300	2-7/8	28 12.7	20 508				
3 75	Red	250 1800	500 3500	750 5200	3-1/4	29 13.2	20 508				
4 100	Red	250 1800	500 3500	750 5200	4-3/8	40 18.1	20 508				
5 125	Red	225 1600	450 3150	675 4725	5-3/8	52 23.6	21 533				



# VIRTUALLY MAINTENANCE FREE.

## RED/YELLOW CHIEF®

Heavy Duty Attack Hose

BullDog's exclusive heavy-rib outer cover combines with a unique nitrile-PVC rubber through-the-weave construction to provide the backbone of excellent hose performance in Red Chief® and Yellow Chief®. The heavy-rib construction makes the hoses highly resistant to cuts, punctures, and abrasion. Red Chief and Yellow Chief are ideally suited to meet the specifications and tough demands of most municipal fire departments. Agency approvals by UL, ULC, or FM are available on select sizes and colors, inquire for details.



**Unrivaled Kink Resistance** 




**Superior Abrasion Performance** 

**Lightweight & Flexible, Reduces Drag** 

**Anti-Burst Technology With a 1/2" Hole** 

**Excellent Heat & Cold Resistance** 



Size	Standard color	Pressure						Bowl Size	Weight (50'/15M)	Coil Diameter (50'/15M)		
		Service		Proof		Burst				inch	mm	
inch mm		psi	kpa	psi	kpa	psi	kpa	inch	lbs	kg	inch	mm
1-1/2 38 	Red/Yellow	300	2100	600	4200	900	6300	1-13/16	14	6.4	14-3/4	375
1-3/4 45 	Red/Yellow	300	2100	600	4200	900	6300	2-1/16	18	8.2	14-3/4	375
2 50	Red/Yellow	300	2100	600	4200	900	6300	2-5/16	22	10.0	16	406
2-1/2 65 	Red/Yellow	300	2100	600	4200	900	6300	2-7/8	26	11.8	16-1/2	419
3 75	Red/Yellow	300	2100	600	4200	900	6300	3-1/2	30	13.6	18	457

# HIGH-RISE PERFORMANCE.

## HI-POWER™

High-Rise Fire Hose

High-rise firefighting has unique tactical and equipment requirements. While weight is important, functionality and ease of use are far more important. Reliable hose performance is crucial in high-rise environments, and Hi-Power™ delivers. Engineered by BullDog, Hi-Power is an ultra-lightweight, maneuverable, nitrile-rubber hose designed specifically for fighting fires in high-rise buildings.



**Chemical & Water Resistant Liner** 

**Superior Abrasion Performance** 




**Unrivaled Kink Resistance** 

**Lightweight, Durable & Flexible** 

**Excellent Heat & Cold Resistance** 

**Anti-Burst Technology With a 1/2" Hole** 



Size	Standard color	Service	Pressure			Bowl Size	Weight (50'/15M)		Coil Diameter (50'/15M)	
			Proof	Burst			lbs	kg	inch	mm
inch mm		psi kpa	psi kpa	psi kpa	inch	lbs	kg	inch	mm	
1-1/2 38 	Blue	300 2100	600 4200	900 6300	1-3/4	11	5.0	13	330	
1-3/4 45 	Blue	300 2100	600 4200	900 6300	2-1/16	14	6.3	14	356	
2 50	Blue	300 2100	600 4200	900 6300	2-5/16	18	8.1	14	356	
2-1/2 65 	Blue	300 2100	600 4200	900 6300	2-3/4	20	9.0	15	381	

**GOODYEAR**  
RUBBER PRODUCTS, INC.

**727-342-5088**

You can also email us at  
[GRP@goodyearrubberproducts.com](mailto:GRP@goodyearrubberproducts.com)



# NEXT LEVEL PERFORMANCE.

## FIREGUARD®

Aggressive Interior Attack Fire Hose

Fireguard™, BullDog's latest innovation, is a premium hose available in 10' lengths that takes your average attack line to the next level. Its unique design gives combat firefighters the performance, flexibility and endurance to deal with the toughest challenges. A special weave, high-tech polyester outer jacket encases an inner lining consisting of a one-piece, extruded-through-the-weave hose for optimum performance and reliability. It combines higher heat, abrasion and chemical resistance with unmatched kink resistance and superior ease of drag.



Unrivaled Kink Resistance



Superior Abrasion Performance



Lightweight, Compact, & Flexible



Anti-Burst Technology



Excellent Heat & Chemical Resistance



Size		Pressure							
		Service		Proof		Burst		Bowl Size	
inch	mm	psi	kpa	psi	kpa	psi	kpa	inch	
1-3/4	45	500	3500	1000	7000	1500	10500	2-1/8	

# LONG-TERM RELIABILITY.

## AQUA GUARD™

Potable Water Hose

A premium flexible layflat hose designed for the transfer of potable water to remote locations that need drinkable water. Aqua Guard™ is NSF61 certified and features a unique “through-the-weave” one piece construction totally encapsulated in a tough elastomeric polyurethane cover and lining. Designed for long life and maintenance free service in even the harshest environments. Aqua Guard™ is available in blue and tan.



**Superior Abrasion Performance**



**Lightweight, Durable & Flexible**



**Unrivald Kink Resistance**



**Low Pressure Loss**



**Resistant to Harsh Environments**



### Pressure

Size	Working		Burst		Wall Thickness		Weight		
	inch	mm	psi	kpa	psi	kpa	inch	mm	lbs/ft
2	50	300	2100	600	4200	.08	2.03	.21	0.095
2-1/2	65	300	2100	600	4200	.08	2.03	.30	0.136
3	75	300	2100	600	4200	.09	2.28	.45	0.168
*4	100	300	2100	600	4200	.09	2.28	.56	0.254
6	150	300	2100	600	4200	.1	2.54	1.22	0.553
7-1/4	184	250	1800	500	3500	.16	4.06	1.89	0.859
8	200	250	1800	500	3500	.18	4.57	2.1	0.95

\* NSF-61 Certification

**GOODYEAR**  
RUBBER PRODUCTS, INC.

727-342-5088

You can also email us at  
[GRP@goodyearrubberproducts.com](mailto:GRP@goodyearrubberproducts.com)

# RESISTANT TO HARSH ENVIRONMENTS.

## WAT-HOG

Fuel & Water Delivery Hose

A premium flexible layflat hose designed for the transfer of fuel, wastewater, sewer, treated and reclaimed water. WAT-Hog™ features a unique “through-the-weave” one piece construction comprising a circular woven high tenacity polyester reinforcement totally encapsulated in a tough elastomeric polyurethane cover and lining.



**Superior Abrasion Performance** 

**Lightweight, Durable & Flexible** 

**Unrivaled Kink Resistance** 

**Low Pressure Loss** 

**Resistant to Harsh Environments** 



Size	Pressure				Wall Thickness		Weight	
	Working	Burst			inch	mm	lbs/ft	kg
inch mm	psi kpa	psi kpa	psi kpa	psi kpa	inch mm	mm	lbs/ft	kg
2 50	300 2100	600 4200			.08 2.03		.21 0.095	
2-1/2 65	300 2100	600 4200			.08 2.03		.30 0.136	
3 75	300 2100	600 4200			.09 2.28		.37 0.168	
4 100	300 2100	600 4200			.09 2.28		.56 0.254	
6 150	300 2100	600 4200			.1 2.54		1.22 0.553	
7-1/4 184	250 1800	500 3500			.16 4.06		1.89 0.859	
8 200	250 1800	500 3500			.18 4.57		2.1 0.95	



**BullDog**  
HOSE COMPANY

AMERICAN MADE TOUGH.™



# FIRE HOSES

**Pressure**

ULC	Size inch mm	Standard Color	Pressure				Bowl Size inch	Coil Diameter	
			Service psi kpa	Proof psi kpa	Burst psi kpa	Weight lbs kg		inch mm	
<b>HI-COMBAT II®</b>								(50'/15M)	(50'/15M)
	1-3/4 45		500 3500	1000 7000	1500 10500	2-1/8	18 8.1	16.5 419	
	2 50		500 3500	1000 7000	1500 10500	2-3/8	20 9.07	17.5 445	
	2-1/2 65		500 3500	1000 7000	1500 10500	2-7/8	23 10.4	18.5 470	
<b>FIREPOWER II™</b>								(50'/15M)	(50'/15M)
	1-3/4 45		500 3500	1000 7000	1500 10500	2-1/8	18 8.1	16.5 419	
	2 50		500 3500	1000 7000	1500 10500	2-3/8	20 9.1	17.5 445	
	2-1/2 65		500 3500	1000 7000	1500 10500	2-7/8	23 10.4	18.5 470	
<b>ULTIMA™</b>								(50'/15M)	(100'/30M)
	1-1/2 38	White	400 2800	800 5600	1200 8400	1-15/16	13 5.9	18 457	
	1-3/4 45	White	400 2800	800 5600	1200 8400	2-1/8	15 6.8	18 457	
<b>FIREGUARD™</b>									
	1-3/4 45		500 3500	1000 7000	1500 10500	2-1/8			
<b>HI-VOL®</b>								(100'/30M)	(100'/30M)
	3 75	Yellow/Red	300 2100	600 4200	900 6300	3-5/16	60 27.2	25 635	
	4 100	Yellow/Red	225 1575	450 3150	675 4725	4-5/32	84 38.1	24 610	
	5 125	Yellow/Red	200 1400	400 2800	600 4200	5-3/8	104 47.2	27 686	
	6 150	Yellow	200 1400	400 2800	600 4200	6-15/32	148 67.1	32 813	



727-342-5088

You can also email us at  
GRP@goodyearrubberproducts.com



BullDog Hose Company maintains ongoing product improvement and development programs. Therefore BullDog reserves the right to modify any product or specification without prior notice. If necessary, please contact BullDog Hose Company customer service to ensure that all claims and technical data are current.



Size inch mm	Standard Color	Pressure				Bowl Size inch	Weight lbs kg	Coil Diameter	
		Service psi kpa	Proof psi kpa	Burst psi kpa	inch mm			inch mm	
<b>HI-VOL TPU™</b>							(100'/30M)	(100'/30M)	
4 100		200 1400	400 2800	600 4200	4-5/16	75 34.0	22	560	
5 125		200 1400	400 2800	600 4200	5-3/8	94 42.6	26	660	
<b>RED CHIEF® &amp; YELLOW CHIEF®</b>							(50'/15M)	(50'/15M)	
ULC 1-1/2 38	Red/Yellow	300 2100	600 4200	900 6300	1-13/16	14 6.4	14-3/4	375	
ULC 1-3/4 45	Red/Yellow	300 2100	600 4200	900 6300	2-1/16	18 8.2	14-3/4	375	
2 50	Red/Yellow	300 2100	600 4200	900 6300	2-5/16	22 10.0	16	406	
ULC 2-1/2 65	Red/Yellow	300 2100	600 4200	900 6300	2-7/8	26 11.8	16-1/2	419	
3 75	Red/Yellow	300 2100	600 4200	900 6300	3-13/32	30 13.6	16-1/2	419	
<b>FLOMASTER™</b>							(50'/15M)	(50'/15M)	
1-1/2 38	Red	300 2100	600 4200	900 6300	1-13/16	16 7.2	18	457	
1-3/4 45	Red	300 2100	600 4200	900 6300	2-1/16	19 8.6	18	457	
2 50	Red	300 2100	600 4200	900 6300	2-3/8	22 10.0	19	483	
2-1/2 65	Red	300 2100	600 4200	900 6300	2-7/8	28 12.7	20	508	
3 75	Red	250 1800	500 3500	750 5200	3-1/4	29 13.2	20	508	
4 100	Red	250 1800	500 3500	750 5200	4-3/8	40 18.1	20	508	
5 125	Red	225 1600	450 3150	675 4725	5-3/8	52 23.6	21	533	
<b>HI-POWER™</b>							(50'/15M)	(50'/15M)	
ULC 1-1/2 38	Blue	300 2100	600 4200	900 6300	1-3/4	11 5.0	13	330	
ULC 1-3/4 45	Blue	300 2100	600 4200	900 6300	2-1/16	14 6.3	14	356	
2 50	Blue	300 2100	600 4200	900 6300	2-5/16	18 8.1	14	356	
ULC 2-1/2 65	Blue	300 2100	600 4200	900 6300	2-3/4	20 9.0	15	381	
<b>REDSKIN/BLUESKIN®</b>							(50'/15M)	(50'/15M)	
1-1/2 38		300 2100	600 4200	900 6300	1-3/4	11 5	13	330	
1-3/4 45		300 2100	600 4200	900 6300	2-1/16	14 6.3	14	356	
2 50		300 2100	600 4200	900 6300	2-5/16	18 8.1	14	356	
2-1/2 65		300 2100	600 4200	900 6300	2-3/4	20 9.0	15	381	
3 76		300 2100	600 4200	900 6300	3-5/16	30 13.6	16-1/2	419	

EAR  
CTS, INC.

727-342-5088

You can also email us at  
GRP@goodyearrubberproducts.com

WARRANTY



**Raise your firefighting standards!**

Contact us today: 833.655.9201 · bulldoghose.com



**Bulldog**  
HOSE COMPANY

**AMERICAN MADE TOUGH.**



# AG HOSES

### Pressure

Size inch mm	Working psi kpa	Burst psi kpa	End Tensile Strength lbs kg	Wall Thickness inch mm	Weight lbs/ft kg
<b>MAINLINE™</b>					
7.25 184	250 1724	500 3447	70,000 31750	.18 4.57	1.9 .86
8 203	250 1724	500 3447	80,000 36287	.18 4.57	2.1 .95
10 254	250 1724	500 3447	96,000 43545	.2 5.08	2.85 1.29
<b>ARMOUR GUARD®</b>					
4 100	300 2068	600 4136	25,000 11340	.12 3.05	.84 0.38
5 125	300 2068	600 4136	36,000 16329	.125 3.18	1.04 0.47
6 150	300 2068	600 4136	54,000 24494	.13 3.30	1.48 0.67
<b>PREMIUM 200®</b>					
3 75	300 2068	600 4136	20,000 9072	.115 2.92	.60 .27
4 100	300 2068	600 4136	25,000 11340	.12 3.05	.84 .38
4.5 114	300 2068	600 4136	32,000 14515	.15 3.80	1.2 .56
5 125	300 2068	600 4136	36,000 16329	.125 3.18	1.04 .47
5-1/2 140	250 1724	500 3447	46,000 20865	.145 3.68	1.26 0.57
6 150	250 1724	500 3447	46,000 20865	.155 3.94	1.45 0.66
7-1/4 184	250 1724	500 3447	70,000 31750	.18 4.57	1.89 0.86



**YEAR**  
CTS, INC.

727-342-5088

You can also email us at  
[GRP@goodyearrubberproducts.com](mailto:GRP@goodyearrubberproducts.com)

Bulldog Hose Company maintains ongoing product improvement and development programs. Therefore Bulldog reserves the right to modify any product or specification without prior notice. If necessary, please contact Bulldog Hose Company customer service to ensure that all claims and technical data are current.



**Step up your fluid delivery!**

Contact us today: 833.655.9201 · [bulldoghose.com](http://bulldoghose.com)

**Bulldog Hose Company** · 141 Junny Rd. · Angier, NC 27501 · P 712.655.9201 · TF 833.655.9201 · [bulldogsales@bulldoghose.com](mailto:bulldogsales@bulldoghose.com) · [bulldoghose.com](http://bulldoghose.com)

A proud product of **PUCK™ ENTERPRISES.**



**Bulldog**  
HOSE COMPANY



# AQUA GUARD™

## Potable Water Hose

A premium flexible layflat hose designed for the transfer of potable water to remote locations, new developments or any temporary lines that need drinkable water. Aqua Guard™ is NSF61 certified and features a unique “through-the-weave” one piece construction comprising a circular woven high tenacity polyester reinforcement totally encapsulated in a tough elastomeric polyurethane cover and lining. Designed for long life and maintenance free service in even the harshest environments. High flexibility and kink resistance allows natural ground contours to be followed without putting stress on the pipeline and eliminates expensive path cutting work. Aqua Guard™ is available in blue and tan.

### TYPICAL APPLICATIONS:

#### Municipal

- Testing/flushing water mains
- Water treatment

#### Marine

- Cargo loading/unloading
- Supply ship to off shore facilities

#### Industrial

- Loading/unloading from truck
- Portable chiller operation



**GRP**  
PRODUCTS, INC.

727-342-5088

You can also email us at  
[GRP@goodyearrubberproducts.com](mailto:GRP@goodyearrubberproducts.com)



Backed by Bulldog's  
**Industrial Hose Two-Year Warranty.**  
[bulldoghose.com/resources](http://bulldoghose.com/resources)

**Step up your water delivery!**

Contact us today: 833.655.9201 · [bulldoghose.com](http://bulldoghose.com)

**AMERICAN MADE TOUGH.™**

## FEATURES:

### Long Service Life

Designed for long life and maintenance free service in even the harshest environments. Tough and durable with exceptional resistance to abrasion and cutting for use on a wide variety of ground conditions. No corrosion or scaling. Resistant to fuels, chemicals, UV, ozone, weathering, hydrolysis, and microbiological attack.

### Durable Construction

Features a unique "through-the-weave" one-piece construction comprising a circular woven high tenacity polyester reinforcement totally encapsulated in a tough elastomeric polyurethane cover and lining.

### Easy to Store and Transport

Long-term storage in coiled configurations will have minimal impact on hose life.

### Additional Hardware

A wide range of couplings, manifolds, and hardware available for connecting the hose to additional segments, fluid supplies, or auxiliary hardware.

### Low Operating Costs

A low-pressure loss for efficient pumping. Swells up to 10% above uncharged diameter at maximum operating pressure enabling more water to be pumped.

### Fast Deployment and Retrieval

Long continuous lengths can be quickly deployed and retrieved using a wide variety of systems including light duty trailers, flaking boxes, and power-driven reels. High flexibility and kink resistance allows natural ground contours to be followed without putting stress on the pipeline and eliminates expensive path cutting work. Fewer and faster connections mean reduced labor and equipment costs.

NSF61 certified



Certified to NSF/ANSI CAN 61

## TECHNICAL SPECIFICATIONS:

Size	Pressure		Wall Thickness	Weight
	Working	Burst		
inch mm	psi kpa	psi kpa	inch mm	lbs/ft kg
2 50	300 2100	600 4200	.08 2.03	.21 0.095
2-1/2 65	300 2100	600 4200	.08 2.03	.30 0.136
3 75	300 2100	600 4200	.09 2.28	.37 0.168
4 100	300 2100	600 4200	.09 2.28	.56 0.254
6 150	300 2100	600 4200	.1 2.54	1.22 0.553
7-1/4 184	250 1800	500 3500	.16 4.06	1.89 0.859

BullDog Hose Company maintains ongoing product improvement and development programs. Therefore BullDog reserves the right to modify any product or specification without prior notice. If necessary, please contact BullDog Hose Company customer service to ensure that all claims and

EAR  
CTS, INC.

727-342-5088

You can also email us at  
GRP@goodyearrubberproducts.com

DURABLE CONSTRUCTION PROVIDES RESISTANCE TO FUELS, CHEMICALS, UV, OZONE, WEATHERING, HYDROLYSIS, AND MICROBIOLOGICAL ATTACK, KEEPING DRINKING WATER SAFE DURING DELIVERY





**Bulldog**  
HOSE COMPANY



# ARMOUR GUARD® LDH

## Heavy-Duty, Rubber-Covered Industrial Discharge Hose

Transfer sludge and manure easily and reliably with the Bulldog Armour Guard® Hose. Designed to be a lay-flat, flexible discharge hose that brings impressive flow to any situation. It combines the lightweight, compact features of a unique nitrile/PVC blend with enhanced durability and abrasion resistance as compared to a conventional rubber hose. Armour Guard features a heavy-duty, one-piece design with all-synthetic, extruded-through-the-weave materials. This allows the hose to expand under pressure, decreasing friction loss and increases flow. The ozone-resistant synthetic rubber liner and cover totally encase and protect the high-performance synthetic woven reinforcement from the effects of abrasion, chemicals and heat. Armour Guard cleans easily and offers ease of maintenance. The standard color is yellow.

### UNIQUE DESIGN FEATURES:

- Lower friction loss
- Reduces pumping costs
- Higher flow rates and further pumping distance
- Fast deployment and retrieval



**EAR**  
PRODUCTS, INC.

727-342-5088

You can also email us at  
[GRP@goodyearrubberproducts.com](mailto:GRP@goodyearrubberproducts.com)



Backed by Bulldog's  
Irrigation Hose One-Year Warranty.  
[bulldoghose.com/resources](http://bulldoghose.com/resources)



**Step up your fluid delivery!**

Contact us today: 833.655.9201 · [bulldoghose.com](http://bulldoghose.com)

**AMERICAN MADE TOUGH.™**

# ARMOUR GUARD® LDH



## FEATURES:

### Long Service Life

Nitrile-rubber extruded through-the-weave provides long-term storage stability and working life. Superior resistance to ozone and ultraviolet light.

### Durable Construction

Special rib pattern for exceptional abrasion and cut resistance.

### High Pressure Rating

Fully protected high tensile yarns for improved working pressure rating and drag resistance.

### Kink Resistant

Superior kink resistance.

### Best in Class Adhesion

Best in class adhesion provides enhanced hose performance and increased hose life.

### Perfect for Supply Lines

Best used as a supply line, feeder line discharge applications.

### High Visibility

Yellow color yields a higher level of nighttime visibility.

### Multiple Sizes

Available in 4", 5" and 6" hand lines.

## TECHNICAL SPECIFICATIONS:

Size	Pressure		End Tensile Strength	Wall Thickness	Weight
	Working	Burst			
inch mm	psi kpa	psi kpa	lbs kg	inch mm	lbs/ft kg
4 100	300 2068	600 4136	25,000 11340	.12 3.05	.84 0.38
5 125	300 2068	600 4136	36,000 16329	.125 3.18	1.04 0.47
6 150	300 2068	600 4136	54,000 24494	.13 3.30	1.48 0.67

BullDog Hose Company maintains ongoing product improvement and development programs. Therefore BullDog reserves the right to modify any product or specification without prior notice. If necessary, please contact BullDog Hose Company customer service to ensure that all claims and technical data are current.



DURABLE, ABRASION RESISTANT THERMOPLASTIC

727-342-5088

You can also email us at  
[GRP@goodyearrubberproducts.com](mailto:GRP@goodyearrubberproducts.com)





**Bulldog**  
HOSE COMPANY



# BUSHMASTER™

## Lightweight Forestry Hose

Reliability you can count on when faced with forest fires. Bushmaster™ is a lightweight polyester jacket, polyurethane lined forestry fire hose that adheres to the USDA-US Forest Service Specification 5100-187. It is a lightweight hose that is easy to maneuver and also features an extra smooth outer jacket for easy dragging. Bushmaster™ is an easy to clean hose. The standard color for Bulldog Bushmaster™ is white but is also available in yellow upon request.



### UNIQUE DESIGN FEATURES:

- Ultra-lightweight and flexible
- Easily maneuverable
- Low maintenance
- Compact for easy storage and transport
- Adheres to US Forest Service Specification 5100-187
- Adheres to CAN-ULC. S518. 1-95

**EAR**  
PRODUCTS, INC.

727-342-5088

You can also email us at  
[GRP@goodyearrubberproducts.com](mailto:GRP@goodyearrubberproducts.com)



*Backed by Bulldog's Forestry  
Fire Hose One-Year Warranty.*  
[bulldoghose.com/resources](http://bulldoghose.com/resources)



**Raise your firefighting standards!**

Contact us today: 833.655.9201 · [bulldoghose.com](http://bulldoghose.com)

**AMERICAN MADE TOUGH.™**

## FEATURES:

**Designed for Aggressive Forest Fire Attack Operations**

**Low Maintenance**  
Easy to clean and maintain.



**Exceeds Standards**  
Bushmaster™ is manufactured to adhere to the USDA-US Forest Service Specification 5100-187 and the CAN-ULC. S518. 1-95.

**Easy Maneuverability**  
Lightweight and flexible making it easy to handle and coil.

## TECHNICAL SPECIFICATIONS:

Size	Standard color	Pressure						Bowl Size	Weight (100'/30M)		Coil Diameter (100'/30M)	
		Service		Proof		Burst			lbs	kg	inch	mm
inch mm		psi	kpa	psi	kpa	psi	kpa	inch			inch	mm
1 25	White	300	2100	600	4200	900	6300	1-3/16	7.5	3.4	13	330
1-1/2 38	White	300	2100	600	4200	900	6300	1-11/16	9.5	4.3	15	381

BullDog Hose Company maintains ongoing product improvement and development programs. Therefore BullDog reserves the right to modify any product or specification without prior notice. If necessary, please contact BullDog Hose Company customer service to ensure that all claims and technical data are current.



**EAR**  
PRODUCTS, INC.

**727-342-5088**

You can also email us at  
[GRP@goodyearrubberproducts.com](mailto:GRP@goodyearrubberproducts.com)





**Bulldog**  
HOSE COMPANY



# DRAG HOSE™

## Sludge Injection Drag Hose

Bulldog Drag Hose™ is a high performance flexible lay flat hose for sludge injection and transfer of slurries, liquid manure and municipal sludge. Designed for both continuous and intermittent operation at high working pressures. Drag Hose's through-the-weave manufacturing technique prevents delamination and results in a much lower friction loss than aluminum or PVC pipe, reducing pumping costs. Swells in diameter enabling fluids to be pumped further and at higher flow rates. Raw materials, components and finished products are rigorously tested and inspected to ensure excellent product reliability.



### TYPICAL APPLICATIONS:

- Sludge injection
- Slurry transfer
- Municipal sludge
- Liquid manure

### UNIQUE DESIGN FEATURES:

- Lower friction loss
- Reduces pumping costs
- Higher flow rates and further pumping distance
- Fast deployment and retrieval

**EAR**  
PRODUCTS, INC.

727-342-5088

You can also email us at  
[GRP@goodyearrubberproducts.com](mailto:GRP@goodyearrubberproducts.com)



Backed by Bulldog's Irrigation  
Hose One-Year Warranty.  
[bulldoghose.com/resources](http://bulldoghose.com/resources)

**Step up your fluid delivery!**

Contact us today: 833.655.9201 · [bulldoghose.com](http://bulldoghose.com)

**AMERICAN MADE TOUGH.™**

## FEATURES:

### Improved Packability

Lightweight and compact for economical storage.

### Ease of Drag

Specifically designed to be pulled and dragged behind sludge injection vehicles that inject liquids into the soil for agricultural gain.

### Superior Abrasion Performance

Durable, abrasion resistant thermoplastic polyurethane construction for tough environments.

### Unmatched Performance

Long, continuous lengths can be quickly deployed and retrieved using light duty or power-driven reels.


### Extreme Durability

Features "Through-the-Weave" construction comprising a circular woven high tenacity polyester reinforcement, totally encapsulated in a tough, abrasion resistant, polyurethane cover and lining.

## TECHNICAL SPECIFICATIONS:

Size	Pressure		End Tensile Strength	Weight
	Working	Burst		
inch mm	psi kpa	psi kpa	lbs kg	lbs/ft kg
5 125	250 1724	500 3447	40,000 18181	1.15 0.52
5-1/2 140	250 1724	500 3447	46,000 20909	1.26 0.57
6 150	250 1724	500 3447	46,000 20909	1.45 0.66
7-1/4 184	250 1724	500 3447	70,000 31818	1.89 0.86

BullDog Hose Company maintains ongoing product improvement and development programs. Therefore BullDog reserves the right to modify any product or specification without prior notice. If necessary, please contact BullDog Hose Company customer service to ensure that all claims and technical data are current.



DURABLE, LIGHTWEIGHT,  
ABRASION RESISTANT  
THERMOPLASTIC  
POLYURETHANE MATERIAL





**BullDog**  
HOSE COMPANY



# FIREGUARD™

## Aggressive Interior Attack Fire Hose

Fireguard™, BullDog's latest innovation, is a premium hose that takes your average attack line to the next level. Its unique design gives combat firefighters the performance, flexibility and endurance to deal with the toughest challenges. A special weave, high-tech polyester outer jacket encases an inner lining consisting of a one-piece, extruded-through-the-weave hose for optimum performance and reliability. It combines higher heat, abrasion and chemical resistance with unmatched kink resistance and superior ease of drag.

### UNIQUE DESIGN FEATURES:

- Attaches to existing attack line
- Available in 10' lengths
- High abrasion resistance
- High heat resistance
- Chemical resistance
- Best drag coefficient in the industry
- Greater flexibility

**GOODYEAR**  
PRODUCTS, INC.

727-342-5088

You can also email us at  
[GRP@goodyearrubberproducts.com](mailto:GRP@goodyearrubberproducts.com)



Backed by BullDog's Municipal  
Fire Hose Ten-Year Warranty.  
[bulldoghose.com/resources](http://bulldoghose.com/resources)

**Raise your firefighting standards!**

Contact us today: 833.655.9201 · [bulldoghose.com](http://bulldoghose.com)

**AMERICAN MADE TOUGH.™**



## FEATURES:

**First in the Fire Industry**  
Available in 10' lengths. Fireguard can be used off the Chiksan® Swivel as a "pigtail" or attach to the end of your existing attack hose and gain the benefits of an aggressive interior attack hose.

**Compact and Flexible**  
Fireguard's compact design makes it easy to deploy and use on brush trucks or fire boats where the firefighters have limited space to operate.

**Unrivaled Kink Resistance**  
A special weave, high-tech design eliminates kink as well as the reduction of flow.

**Anti-Burst Technology**  
Ensures it will not burst catastrophically – even with a 1/2" diameter hole through both the jacket and liner.

**Exceeds Standards**  
Fireguard™ is manufactured to meet or exceed NFPA 1961 standard.

## TECHNICAL SPECIFICATIONS:


Size	Pressure				Bowl Size
	Service	Proof	Burst		
inch mm	psi kpa	psi kpa	psi kpa	inch	
1-3/4 45	500 3500	1000 7000	1500 10500	2-1/8	

BullDog Hose Company maintains ongoing product improvement and development programs. Therefore BullDog reserves the right to modify any product or specification without prior notice. If necessary, please contact BullDog Hose Company customer service to ensure that all claims and technical data are current.




727-342-5088

You can also email us at  
GRP@goodyearrubberproducts.com



10' HOSE  
ATTACHMENT  
CONNECTS TO  
YOUR EXISTING  
ATTACK LINE  
TO PROVIDE  
UNRIVALED KINK  
RESISTANCE  
- A FIRST IN THE  
INDUSTRY





**Bulldog**  
HOSE COMPANY



# FIREPOWER II™

## Aggressive Interior Attack Fire Hose

Firepower II™ is an extremely durable double-jacketed hose made from a high-tech nylon-polyester outer jacket, with durability and flow that make it an invaluable firefighting tool. This product has excellent packing capabilities for a premium hose and improves hose-handling applications with an easy-to-grip material. Also featuring a high-performance, nitrile-rubber-through-the-weave inner liner that offers superior burst pressure, Firepower II delivers optimum kink resistance while providing greater flexibility and superior water flow with low friction loss. Firepower II combines high abrasion resistance with low overall weight and low drag resistance. Designed with unrivaled UV and ozone protection, this product will bring you years of reliable service. Firepower II is available in 5 NFPA colors.

### UNIQUE DESIGN FEATURES:

- Easy-to-grip material
- Superior burst pressure
- Greater flexibility
- Superior water flow
- Low friction loss
- High abrasion resistance
- Low drag resistance

**EAR**  
PRODUCTS, INC.

727-342-5088

You can also email us at  
[GRP@goodyearrubberproducts.com](mailto:GRP@goodyearrubberproducts.com)



*Backed by Bulldog's Municipal  
Fire Hose Ten-Year Warranty.*  
[bulldoghose.com/resources](http://bulldoghose.com/resources)

**Raise your firefighting standards!**

Contact us today: 833.655.9201 · [bulldoghose.com](http://bulldoghose.com)

**AMERICAN MADE TOUGH.™**

## FEATURES:

### Unrivaled Kink Resistance

Passes 34", 24", and 18" doorway kink test. Loops to 11" before kink, ensuring no line failure or loss of flow.

### Six Times More Heat Resistance

Nitrile/PVC lining provides six times more heat resistance than conventional hoses, when subjected to BS6391 resistance test. Temperature range -36°F to +158°F.

### Water-Resistant Jacket

Firepower II™'s innovative, uniquely-woven jacket minimizes water absorption and drying time, compared to traditional hose. This reduces the weight of a hose line in use, making it easier to transport and battle flames from any angle.

### Unmatched Performance

For CAFS operations.

### Superior Abrasion Performance



### Exceeds Standards

Firepower II is manufactured to meet or exceed the NFPA 1961 standard.

### ULC Listed

Available on 1-3/4" and 2-1/2" (400psi service pressure)

## TECHNICAL SPECIFICATIONS:

Size	Pressure				Bowl Size	Weight (50'/15M)	Coil Diameter (50'/15M)
	Service		Proof				
inch mm	psi kpa	psi kpa	psi kpa	psi kpa	inch	lbs kg	inch mm
1-3/4 45 	500 3500	1000 7000	1500 10500	2-1/8	18 8.1	16.5 419	
2 50	500 3500	1000 7000	1500 10500	2-3/8	20 9.1	17.5 445	
2-1/2 65 	500 3500	1000 7000	1500 10500	2-7/8	23 10.4	18.5 470	

BullDog Hose Company maintains ongoing product improvement and development programs. Therefore BullDog reserves the right to modify any product or specification without prior notice. If necessary, please contact BullDog Hose Company customer service to ensure that all claims and technical data are current.



INDUSTRY-LEADING ANTI-KINK TECHNOLOGY PROVIDES GREATER FLEXIBILITY AND PREVENTS LOSS OF FLOW




HIGH-PERFORMANCE NITRILE-RUBBER-THROUGH-THE-WEAVE INNER LINER OFFERS SUPERIOR BURST PRESSURE, AND HIGH HEAT RESISTANCE

 727-342-5088

You can also email us at [GRP@goodyearrubberproducts.com](mailto:GRP@goodyearrubberproducts.com)





**BullDog**  
HOSE COMPANY



# HI-COMBAT II®

## Ultimate Aggressive Interior Attack Fire Hose

Hi-Combat II® is the ultimate in firefighting hose technology for aggressive interior combat operations. Its unique design gives combat firefighters the performance, flexibility, and endurance to deal with the toughest challenges. A special weave, high-tech nylon-polyester outer jacket encases an inner lining consisting of a one-piece, extruded-through-the-weave hose for optimum performance and reliability.

With high-visibility material woven right into the hose, firefighters can follow the "exit" and arrow markings to safety. BullDog can also add up to 32 custom characters sewn into the hose.\* Hi-Combat II is available in 5 NFPA colors that are extruded through the weave, not dyed, and will not bleed or wear off. It combines higher heat, abrasion and chemical resistance with unmatched kink resistance and superior ease of drag.

Engineered by BullDog, Hi-Combat II is guaranteed to meet specified burst pressure and exceed the NFPA 1961 standard. Hi-Combat II's super powerful attributes set standards for fire hose that every firefighter deserves.

*\*Available on 1-3/4" and 2" only. 1000' minimum order requirement.*

### UNIQUE DESIGN FEATURES:

- Colors are extruded through the weave, not dyed, and will not bleed or wear off
- High-visibility safety material

EAR  
CTS, INC.

727-342-5088

You can also email us at  
[GRP@goodyearrubberproducts.com](mailto:GRP@goodyearrubberproducts.com)



- High heat resistance
- Chemical resistance
- Superior ease of drag

*Backed by BullDog's Municipal  
Fire Hose Ten-Year Warranty.  
[bulldoghose.com/resources](http://bulldoghose.com/resources)*



**Raise your firefighting standards!**

Contact us today: 833.655.9201 · [bulldoghose.com](http://bulldoghose.com)

**AMERICAN MADE TOUGH.™**

## FEATURES:

**Designed for Aggressive Interior Combat Operations**

**Minimized Friction Loss**

**Excellent Kink Resistance**  
Kink resistance exceeds that of conventional jacketed hose.

**Superior Abrasion Performance**  
Abrasion-resistant outer jacket is designed and manufactured to withstand a minimum of 2,000 cycles on the U.L. abrasion test and 12,000 cycles on the F.M. abrasion test programs.

**Lowest Drag Coefficient**  
Drag coefficient is the lowest of any fire hose BullDog has tested, making it easier to advance during attack operations.

**Ideal for Personal Portable Monitors and High-Rise Firefighting Operations**

**Anti-Burst Technology**  
Ensures it will not burst catastrophically – even with a 1/2" diameter hole through both the jacket and liner.



**Exceeds Standards**  
Hi-Combat II® is manufactured to meet or exceed the NFPA 1961 standard.

**Chemical-Resistant Liner**  
Protects from exposure to water and contamination by most chemical substances, hydrocarbons, oil and grease.

**Temperature range -36°F to +158°F**

**ULC**  
Available on 1-3/4" and 2-1/2".

## TECHNICAL SPECIFICATIONS:

Size	Pressure						Bowl Size	Weight (50'/15M)	Coil Diameter (50'/15M)
	Service		Proof		Burst				
inch mm	psi kpa	psi kpa	psi kpa	psi kpa	inch	lbs kg	inch mm		
1-3/4 45 	500 3500	1000 7000	1500 10500	2-1/8	18 8.1	16.5 419			
2 50	500 3500	1000 7000	1500 10500	2-3/8	20 9.07	17.5 445			
2-1/2 65 	500 3500	1000 7000	1500 10500	2-7/8	23 10.4	18.5 470			

BullDog Hose Company maintains ongoing product improvement and development programs. Therefore BullDog reserves the right to modify any product or specification without prior notice. If necessary, please contact BullDog Hose Company customer service to ensure that all claims and technical data are current.



**HIGH-VISIBILITY EXIT ARROWS PROVIDE ADDED SAFETY THROUGHOUT ENTIRE HOSE**

**HIGH-TECH FILAMENT POLYESTER OUTER JACKET WITH ONE-PIECE INNER LINING PROVIDES ULTIMATE ABRASION AND CHEMICAL RESISTANCE**



**32 CUSTOM CHARACTERS ALLOWS THE DEPARTMENT NAME TO BE WOVEN INTO THE HOSE\***

**YOUR NAME HERE**


*\*Available on 1-3/4" and 2" only. 1000' minimum order requirement.*

**EAR**  
PRODUCTS, INC.

**727-342-5088**

You can also email us at [GRP@goodyearrubberproducts.com](mailto:GRP@goodyearrubberproducts.com)





**BullDog**  
HOSE COMPANY



# HI-POWER™

## High-Rise Fire Hose

High-rise firefighting has unique tactical and equipment requirements. While weight is important, functionality and ease of use are far more important. Reliable hose performance is crucial in high-rise environments, and Hi-Power™ delivers. Engineered by BullDog, Hi-Power is an ultra-lightweight, maneuverable, nitrile-rubber hose designed specifically for fighting fires in high-rise buildings. The lightweight, through-the-weave construction is heat and puncture resistant, kink resistant, and has low friction loss. The rubber cover prevents water from penetrating the reinforcement, thus minimizing the weight of the hose when in service. The standard color for Hi-Power is blue.

### UNIQUE DESIGN FEATURES:

- Delivers in high-rise environments
- Ultra-lightweight
- Easily maneuverable
- Superior resistance to abrasion, punctures, and cuts
- Unmatched kink resistance
- Low friction loss

EAR  
CTS, INC.

727-342-5088

You can also email us at  
[GRP@goodyearrubberproducts.com](mailto:GRP@goodyearrubberproducts.com)



Backed by BullDog's Municipal  
Fire Hose Ten-Year Warranty.  
[bulldoghose.com/resources](http://bulldoghose.com/resources)

**Raise your firefighting standards!**

Contact us today: 833.655.9201 · [bulldoghose.com](http://bulldoghose.com)

**AMERICAN MADE TOUGH.™**

## FEATURES:

### Minimized Friction Loss

Improved friction loss over the conventional jacketed hose.

### Chemical-Resistant

The nitrile-rubber cover protects from exposure to water and contamination by most chemical substances, hydrocarbons, oil, and grease.

### Superior Abrasion Performance

Nitrile-rubber cover eliminates additional weight issues caused by water pick up during use, and greatly increases abrasion resistance, providing a long service life.

### Unrivaled Kink Resistance

### Best in Class Adhesion

Provides enhanced hose performance and increased hose life.

### Durable Construction

Provides the ultimate in cut, puncture, and abrasion resistance.

### Ultra Lightweight

The design is heavy-duty, one piece, all synthetic, and extruded through the weave for lightweight handling and enhanced maneuverability.

### Exceptional Heat Resistance

High heat resistance as exhibited in the BS 6391 Hot Cube Test. Temperature range -36°F to +158°F.

### Anti-Burst Technology

The hose is protected from catastrophic bursts, even with a 1/2" diameter hole through both the jacket and liner.

### Exceeds Standards

Hi-Power™ is manufactured to meet or exceed the NFPA 61 standard.

### ULC

Available on 1-1/2", 1-3/4", and 2-1/2".

## TECHNICAL SPECIFICATIONS:

Size	Standard color	Pressure						Bowl Size	Weight (50'/15M)		Coil Diameter (50'/15M)	
		Service	Proof	Burst					lbs	kg	inch	mm
inch mm		psi kpa	psi kpa	psi kpa			inch			inch	mm	
1-1/2 38 ULC	Blue	300 2100	600 4200	900 6300			1-3/4	11 5.0		13 330		
1-3/4 45 ULC	Blue	300 2100	600 4200	900 6300			2-1/16	14 6.3		14 356		
2 50	Blue	300 2100	600 4200	900 6300			2-5/16	18 8.1		14 356		
2-1/2 65 ULC	Blue	300 2100	600 4200	900 6300			2-3/4	20 9.0		15 381		

BullDog Hose Company maintains ongoing product improvement and development programs. Therefore BullDog reserves the right to modify any product or specification without prior notice. If necessary, please contact BullDog Hose Company customer service to ensure that all claims and technical data are current.

EAR  
PRODUCTS, INC.

727-342-5088

You can also email us at  
GRP@goodyearrubberproducts.com

IS HEAT AND PUNCTURE  
RESISTANT, KINK RESISTANT  
AND HAS LOW FRICTION LOSS



INNER HOSE REINFORCED  
BY 100% SYNTHETIC  
CIRCULAR WOVEN MATERIAL  
HELPS PROTECT AGAINST  
EXTREME TEMPERATURES  
AND PROVIDES ENHANCED  
MANEUVERABILITY





**Bulldog**  
HOSE COMPANY



# HI-VOL®

## Large Diameter Supply Hose

Hi-Vol® is a tough supply hose that maintains excellent water flow. It is the premium extruded-through-the-weave, large-diameter, nitrile-rubber hose with the ability to deliver more water. This supply hose is compact and durable with a high resistance to oil, chemicals, UV and ozone. A tough, high-tensile cover and lining, permanently interlocked with the synthetic reinforcement, provides greater abrasion and puncture resistance, along with unmatched kink resistance. Hi-Vol is guaranteed to meet specified burst pressure and exceeds the NFPA 1961 standard. Hi-Vol will never mildew or rot.

### UNIQUE DESIGN FEATURES:

- Achieves maximum water flow
- Compact and durable
- High resistance to oil, chemicals, UV and ozone
- Greater abrasion and puncture resistance
- Unmatched kink resistance
- Eliminates mildew and rot

**YEAR**  
CTS, INC.

727-342-5088

You can also email us at  
[GRP@goodyearrubberproducts.com](mailto:GRP@goodyearrubberproducts.com)



*Backed by Bulldog's Municipal  
Fire Hose Ten-Year Warranty.  
[bulldoghose.com/resources](http://bulldoghose.com/resources)*

**Step up your water delivery!**

Contact us today: 833.655.9201 · [bulldoghose.com](http://bulldoghose.com)

**AMERICAN MADE TOUGH.™**

## FEATURES:

### Lowest Friction Loss

Superior efficiency on the fireground, delivering more GPM with lowest friction loss. Smooth inner liner keeps friction loss to a minimum.

### Best-in-Class Adhesion

Provides enhanced hose performance and increased hose life.

### Improved Packability

Compact and flexible.

### Anti-Burst Technology

Hose is protected from catastrophic bursts, even with a 1/2" diameter hole through both the jacket and liner.

### Superior Abrasion Performance

Nitrile-rubber cover eliminates additional weight issues caused by water pick up during use and greatly increases abrasion resistance, providing a long service life.

### Exceeds Standards



Hi-Vol® is manufactured to meet or exceed the NFPA 1961 standard.

### Standard Colors are Yellow and Red

### ULC

Available on 4" and 5".

## TECHNICAL SPECIFICATIONS:

Size		Standard color	Service		Pressure		Burst	Bowl Size	Weight (100'/30M)		Coil Diameter (100'/30M)		
			psi	kpa	psi	kpa			psi	kpa	inch	lbs	kg
3	75	Yellow/Red	300	2100	600	4200	900	6300	3-5/16	60	27.2	25	635
4	100 	Yellow/Red	225	1575	450	3150	675	4725	4-5/32	84	38.1	24	610
5	125 	Yellow/Red	200	1400	400	2800	600	4200	5-3/8	104	47.2	27	686
6	150	Yellow	200	1400	400	2800	600	4200	6-15/32	148	67.1	32	813

BullDog Hose Company maintains ongoing product improvement and development programs. Therefore BullDog reserves the right to modify any product or specification without prior notice. If necessary, please contact BullDog Hose Company customer service to ensure that all claims and technical data are current.

HIGH-TENSILE COVER

727-342-5088

You can also email us at  
GRP@goodyearrubberproducts.com





**Bulldog**  
HOSE COMPANY



# HI-VOL TPU™

## Large Diameter Supply Hose

Hi-Vol TPU™ is an extruded-through-the-weave TPU hose that provides excellent abrasion resistance, reduced weight, and improved kink resistance in comparison to rubber, as well as UV and ozone resistance. The smooth finish allows for easier deployment and retrieval. Hi-Vol TPU is the next generation of supply hose.

### UNIQUE DESIGN FEATURES:

- High-visibility safety material
- Superior resistance to abrasion, punctures, and cuts
- Ultra lightweight
- Easy to deploy

**GOODYEAR**  
RUBBER PRODUCTS, INC.

727-342-5088

You can also email us at  
GRP@goodyearrubberproducts.com



Backed by Bulldog's Municipal  
Fire Hose Ten-Year Warranty.  
[bulldoghose.com/resources](http://bulldoghose.com/resources)

**Step up your water delivery!**

Contact us today: 833.655.9201 · [bulldoghose.com](http://bulldoghose.com)

**AMERICAN MADE TOUGH.™**

## FEATURES:

### Superior Abrasion Performance

TPU cover increases abrasion resistance, eliminates additional weight issues caused by water pick up during use, and provides exceptional chemical resistance.

### Minimized Friction Loss

Extruded-through-the-weave TPU construction and ultra-smooth liner minimize friction loss, improving water flow.

### Hi-Vis Safety Colors

Green and orange colors available. Provides excellent efficiency and enhanced visibility on the fireground.

### Exceeds Standards

HI-Vol TPU is manufactured to meet or exceed the NFPA 1961 standard.

### Compact Design

Improved packability takes up less room in the hose bed, providing easier access when every second matters.

**Available in 4" and 5" Diameter Supply**

## TECHNICAL SPECIFICATIONS:

Size	Pressure				Bowl Size	Weight (100'/30M)	Coil Diameter (100'/30M)
	Service	Proof	Burst				
inch mm	psi kpa	psi kpa	psi kpa	inch	lbs kg	inch mm	
4 100	200 1400	400 2800	600 4200	4-5/16	75 34.0	22 560	
5 125	200 1400	400 2800	600 4200	5-3/8	94 42.6	26 660	

BullDog Hose Company maintains ongoing product improvement and development programs. Therefore BullDog reserves the right to modify any product or specification without prior notice. If necessary, please contact BullDog Hose Company customer service to ensure that all claims and technical data are current.

EXCLUSIVE  
THERMOPLASTIC  
POLYURETHANE (TPU)  
COVER AND LINER  
PROVIDES IMPROVED

727-342-5088

You can also email us at  
GRP@goodyearrubberproducts.com






**Bulldog**  
HOSE COMPANY



# MAINLINE™



## Lay-Flat Agricultural Hose

Mainline™ is a flexible lay-flat hose with a wide diameter which ensures that your operation moves liquid as efficiently as possible. Featuring a unique through-the-weave one-piece construction comprising a circular woven high tenacity polyester reinforcement totally encapsulated in a tough elastomeric polyurethane cover and lining. Designed for a long life and maintenance-free service – in even the toughest field conditions. High flexibility and kink resistance allows natural ground contours to be followed without putting stress on the line and eliminates expensive path cutting work.



### UNIQUE DESIGN FEATURES:

- Reduces operating costs
- Long service life
- Kink resistant
- Efficient liquid movement

**YEAR**  
PRODUCTS, INC.

727-342-5088

You can also email us at  
[GRP@goodyearrubberproducts.com](mailto:GRP@goodyearrubberproducts.com)



Backed by Bulldog's  
Irrigation Hose One-Year Warranty.  
[bulldoghose.com/resources](http://bulldoghose.com/resources)

**Step up your fluid delivery!**

Contact us today: 833.655.9201 · [bulldoghose.com](http://bulldoghose.com)

**AMERICAN MADE TOUGH.™**

## FEATURES:

### Long Service Life

Designed for a long life and maintenance-free service in even the harshest environments. Tough and durable with exceptional resistance to abrasion and cutting for use on a wide variety of ground conditions. No corrosion or scaling. Resistant to fuels, chemicals, UV, ozone, weathering, hydrolysis and microbiological attack.

### Extreme Durability

Features a unique through-the-weave one-piece construction comprising a circular woven high tenacity polyester reinforcement totally encapsulated in a tough elastomeric polyurethane cover and lining.

### Low Operating Costs

A low-pressure loss for efficient pumping. Swells up to 10% above uncharged diameter at maximum operating pressure enabling more water to be pumped.

### Fast Deployment and Retrieval

Long continuous lengths can be quickly deployed and retrieved using a wide variety of systems including light duty trailers, flaking boxes and power-driven reels. High flexibility and kink resistance allows natural ground contours to be followed without putting stress on the pipeline and eliminates expensive path cutting work. Fewer joints and faster connections mean reduced labor and equipment costs.

### Improved Packability

Long-term storage in coiled configurations will have minimal impact on hose life.

### Designed to Perform

Available with bonding wires, conforming to MIL-PRF-370 Type C, are fitted to allow couplings to be electrically bonded when transferring fuels.

### Additional Hardware

A wide range of couplings, manifolds and hardware available for connecting the hose to additional segments, fluid supplies or auxiliary hardware.

## TECHNICAL SPECIFICATIONS:

Size	Pressure		End Tensile Strength	Wall Thickness	Weight
	Working	Burst			
inch mm	psi kpa	psi kpa	lbs kg	inch mm	lbs/ft kg
7.25 184	250 1724	500 3447	70,000 31750	.18 4.57	1.9 .86
8 203	250 1724	500 3447	80,000 36287	.18 4.57	2.1 .95
10 254	250 1724	500 3447	96,000 43545	.2 5.08	2.85 1.29

BullDog Hose Company maintains ongoing product improvement and development programs. Therefore BullDog reserves the right to modify any product or specification without prior notice. If necessary, please contact BullDog Hose Company customer service to ensure that all claims and technical data are current.


EAR  
PRODUCTS, INC.

727-342-5088

You can also email us at  
GRP@goodyearrubberproducts.com

DURABLE, LIGHTWEIGHT,  
ABRASION RESISTANT  
MATERIAL PROVIDES EASE  
OF MOVEMENT IN THE  
HARSHEST ENVIRONMENTS.





**BullDog**  
HOSE COMPANY



# PREMIUM 200®

## Irrigation Traveller Hose

Irrigated fields depend on a strong and reliable flow of water and the Premium 200® Traveller Hose is designed for the farmer who wants the best irrigation hose available. Since traveling irrigators were first introduced, farmers have relied on BullDog irrigation hose to deliver the highest quality products for their applications. BullDog Premium 200 provides the very best in ozone and ultraviolet resistance and unsurpassed abrasion resistance to ensure that this hose will last longer than any other in the market place. Features also include superior kink resistance, eliminating the concern of a decrease in flow due to irrigator movement.

### UNIQUE DESIGN FEATURES:

- Ozone and ultraviolet resistance
- Unsurpassed abrasion resistance
- Superior kink resistance
- Low drag resistance



**EAR**  
PRODUCTS, INC.

727-342-5088

You can also email us at  
[GRP@goodyearrubberproducts.com](mailto:GRP@goodyearrubberproducts.com)



Backed by BullDog's Irrigation  
Hose Ten-Year Warranty.  
[bulldoghose.com/resources](http://bulldoghose.com/resources)

**Step up your water delivery!**

Contact us today: 833.655.9201 · [bulldoghose.com](http://bulldoghose.com)

**AMERICAN MADE TOUGH.™**

# PREMIUM 200®



## FEATURES:

**Superior Abrasion Performance**  
Special rib pattern for exceptional abrasion and cut resistance.

**Extreme Durability**  
Long term storage stability and working life.

**Excellent Kink Resistance**  
Premium materials and through-the-weave construction provide kink resistance in demanding applications.

**Temperature range -36°F to +158°F**

**Anti-Burst Technology**  
Fully protected high tensile yarns for improved working pressure rating and drag resistance.

## TECHNICAL SPECIFICATIONS:

Size	Pressure				Weight	
	Working		Burst		lbs/ft	kg
inch mm	psi	kpa	psi	kpa		
3 76	300	1378	600	4136	.60	.27
4 100	300	1378	600	4136	.84	.38
4.5 114	300	1378	600	4136	1.2	.56
5 125	300	1378	600	4136	1.04	.47

BullDog Hose Company maintains ongoing product improvement and development programs. Therefore BullDog reserves the right to modify any product or specification without prior notice. If necessary, please contact BullDog Hose Company customer service to ensure that all claims and technical data are current.

NITRILE-RUBBER  
EXTRUDED THROUGH-  
THE-WEAVE MATERIAL  
PROVIDES SUPERIOR  
RESISTANCE TO OZONE AND

727-342-5088

You can also email us at  
GRP@goodyearrubberproducts.com





**BullDog**  
HOSE COMPANY



# REDSKIN/BLUESKIN®

## General Industrial Hose

Respond to fires quickly with BullDog Redskin/Blueskin®. The hose is a lay-flat, lightweight, flexible firehose specifically designed for industrial fire protection. Bringing tough, versatile firefighting power to departments in industrial situations. Redskin/Blueskin is UL approved and features a unique through-the-weave, one-piece construction that will not delaminate. The synthetic reinforcement is totally encased in a nitrile-rubber cover and lining which is resistant to fuels, oils and chemicals. Dependable, lay-flat and flexible, BullDog Redskin/Blueskin firehose is specifically engineered for industrial fire protection.

### UNIQUE DESIGN FEATURES:

- Lower friction loss
- Reduces pumping costs
- Higher flow rates and further pumping distance
- Fast deployment and retrieval

**EAR**  
PRODUCTS, INC.

727-342-5088

You can also email us at  
[GRP@goodyearrubberproducts.com](mailto:GRP@goodyearrubberproducts.com)



*Backed by BullDog's  
Industrial Hose Two-Year Warranty.*  
[bulldoghose.com/resources](http://bulldoghose.com/resources)

**Step up your fuel/water delivery!**

Contact us today: 833.655.9201 · [bulldoghose.com](http://bulldoghose.com)

**AMERICAN MADE TOUGH.™**

## FEATURES:

### Extreme Durability

Hose meets or exceeds specifications for heat and kink resistance.

### Durable Construction

Lay-flat, lightweight and flexible design is really suited for industrial fire protection and in-plant apparatus.

### Less Maintenance

No drying time required — just wash and store.

### Long Service Life

Nitrile-rubber cover eliminates additional weight issues caused by water pick up during use and greatly increases abrasion resistance, providing a long service life. The hose is designed to resist cracking mildew and rot, which translates to a long service life.

### Chemical-Resistant

Resists fuels, oils and a wide range of chemicals and bases.

### Best in Class Adhesion

Best in class adhesion provides enhanced hose performance and increased hose life.






### Exceeds Standards

Redskin/Blueskin® is manufactured to meet or exceed NFPA 1961 standard.

### Listing Options

Agency approvals by UL, ULC, or FM are available on select sizes and colors, inquire for details.

## TECHNICAL SPECIFICATIONS:

Size	Pressure						Bowl Size	Weight (50'/15M)	Coil Diameter (50'/15M)	
	Service	Proof	Burst	inch	lbs	kg			inch	mm
inch mm	psi kpa	psi kpa	psi kpa	inch	lbs	kg	inch	mm		
1-1/2 38  	300 2100	600 4200	900 6300	1-3/4	11	5	13	330		
1-3/4 45 	300 2100	600 4200	900 6300	2	14	6.4	13-3/4	349		
2 50	300 2100	600 4200	900 6300	2-5/16	18	8.2	14-1/2	368		
2-1/2 65  	300 2100	600 4200	900 6300	2-3/4	22	10	14-1/2	368		
3 75	300 2100	600 4200	900 6300	3-13/32	30	13.6	16-1/2	419		

BullDog Hose Company maintains ongoing product improvement and development programs. Therefore BullDog reserves the right to modify any product or specification without prior notice. If necessary, please contact BullDog Hose Company customer service to ensure that all claims and technical data are current.

EAR  
CTS, INC.

727-342-5088

You can also email us at  
GRP@goodyearrubberproducts.com

REINFORCED BY 100% SYNTHETIC CIRCULAR WOVEN MATERIAL PROVIDES ANTI-BURST PROTECTION

NITRILE RUBBER COVER ELIMINATES WATER PICK UP AND INCREASES ABRASION RESISTANCE FOR A LONG SERVICE LIFE





**BullDog**  
HOSE COMPANY



# RED/YELLOW CHIEF®

## Heavy Duty Attack Hose

BullDog's exclusive heavy-rib outer cover combines with a unique nitrile-PVC rubber through-the-weave construction to provide the backbone of excellent hose performance in Red Chief® & Yellow Chief®. The heavy-rib construction makes the hoses highly resistant to cuts, punctures, and abrasion. Compact and kink resistant, lightweight and easily maneuverable, Red Chief & Yellow Chief are ideally suited to meet the specifications and tough demands of most municipal fire departments. With a proof pressure of 600 PSI (4200 kPa) and a tolerance for heat and cold, these hoses maintain peak performance from temperatures in the range of -36°F to 158°F (-37°C to 70°C).

Red Chief & Yellow Chief hose are virtually maintenance free and require no drying after use. With these powerful hoses, you save time and money, since less backup hose is needed. Red Chief & Yellow Chief are in a class by themselves – clearly superior to traditional attack lines and compliant to the NFPA 1961 standard.

### UNIQUE DESIGN FEATURES:

- Heavy-rib construction
- Superior resistance to abrasion, punctures, and cuts
- Unmatched kink resistance
- Compact and lightweight

EAR  
CTS, INC.

727-342-5088

You can also email us at  
[GRP@goodyearrubberproducts.com](mailto:GRP@goodyearrubberproducts.com)



*Backed by BullDog's Municipal  
Fire Hose Ten-Year Warranty.*  
[bulldoghose.com/resources](http://bulldoghose.com/resources)

**Raise your firefighting standards!**

Contact us today: 833.655.9201 · [bulldoghose.com](http://bulldoghose.com)

**AMERICAN MADE TOUGH.™**

## FEATURES:

### Ultra Lightweight

Lightweight and flexible for easy handling and less working stress.

### Best in Class Adhesion

Provides enhanced hose performance and increased hose life.

### Superior Abrasion Performance

Nitrile-rubber cover eliminates additional weight issues caused by water pick up during use and greatly increases abrasion resistance, providing a long service life.

### Anti-Burst Technology

Hose will not burst catastrophically even with a 1/2" diameter hole through both the jacket and liner.

### Low Drag Coefficient

A unique exterior rib design makes it easy to pull during attack operations.

### Exceptional Heat Resistance

High heat resistance as exhibited in the BS 6391 Hot Cube Test. Temperature range -36°F to +158°F.

### Exceeds Standards

Red Chief® and Yellow Chief® is manufactured to meet or exceed the NFPA 1961 standard.

### Listing Options

Agency approvals by UL, ULC, or FM are available on select sizes and colors, inquire for details.

## TECHNICAL SPECIFICATIONS:

Size	Standard color	Service	Pressure			Bowl Size	Weight (50'/15M)	Coil Diameter (50'/15M)	
			psi	kpa	Proof			Burst	inch
1-1/2 38	Red/Yellow	300 2100	600 4200	900 6300	1-13/16	14 6.4	14-3/4 375		
1-3/4 45	Red/Yellow	300 2100	600 4200	900 6300	2-1/16	18 8.2	14-3/4 375		
2 50	Red/Yellow	300 2100	600 4200	900 6300	2-5/16	22 10.0	16 406		
2-1/2 65	Red/Yellow	300 2100	600 4200	900 6300	2-7/8	26 11.8	16-1/2 419		
3 75	Red/Yellow	300 2100	600 4200	900 6300	3-13/32	30 13.6	16-1/2 419		

BullDog Hose Company maintains ongoing product improvement and development programs. Therefore BullDog reserves the right to modify any product or specification without prior notice. If necessary, please contact BullDog Hose Company customer service to ensure that all claims and technical data are current.

EAR  
CTS, INC.


727-342-5088

You can also email us at  
GRP@goodyearrubberproducts.com

100% SYNTHETIC CIRCULAR WOVEN MATERIAL PROVIDES ANTI-BURST PROTECTION

MAKES THE HOSES HIGHLY RESISTANT TO CUTS, PUNCTURES, AND ABRASION





**Bulldog**  
HOSE COMPANY

# ULTIMA™

## Double Jacket Rubber-Lined Attack Fire Hose

Bulldog Ultima™ is a durable, double-jacketed hose, constructed with staple-polyester, both warp and filler, and lined with a high-tech EPDM tube. Its engineered design, for 75 PSI and higher nozzle applications, guarantees minimum weight with maximum durability and packability with minimal friction loss. The standard color for Ultima Hose is white. Other colors available with our innovative Armour Jacket abrasion-resistant coatings are red, yellow, blue, black, green, tan, orange.

### UNIQUE DESIGN FEATURES:

- Double-jacketed
- Minimal weight
- Maximum durability
- Packability
- Minimal friction loss

**EAR**  
PRODUCTS, INC.

727-342-5088

You can also email us at  
[GRP@goodyearrubberproducts.com](mailto:GRP@goodyearrubberproducts.com)



Backed by Bulldog's Municipal  
Fire Hose Ten-Year Warranty.  
[bulldoghose.com/resources](http://bulldoghose.com/resources)

**Raise your firefighting standards!**

Contact us today: 833.655.9201 · [bulldoghose.com](http://bulldoghose.com)

**AMERICAN MADE TOUGH.™**

## FEATURES:

### Low Maintenance

Easy to clean and maintain.

### Superior Abrasion Performance

High abrasion resistance when treated with Armour Jacket coating.

### Extreme Durability

Ozone-resistant for extreme durability. Temperature range -30°F to +112°F.

### ULC

Available on 1-1/2", 1-3/4", and 2-1/2".


### Exceeds Standards

Ultima™ is manufactured to meet or exceed the NFPA 1961 and UL-19 standard.

## TECHNICAL SPECIFICATIONS:

Size	Standard color	Service	Pressure				Bowl Size	Weight (100'/30M)	Coil Diameter (50'/15M)	
			Proof	Burst					inch	mm
inch mm		psi kpa	psi kpa	psi kpa		inch	lbs kg	inch	mm	
1-1/2 38 (ULC)	White	400 2800	800 5600	1200 8400		1-15/16	25 11.3	18	457	
1-3/4 45 (ULC)	White	400 2800	800 5600	1200 8400		2-1/8	30 13.6	18	457	
2 50	White	400 2800	800 5600	1200 8400		2-2/5	33 15.0	19	483	
2-1/2 65 (ULC)	White	400 2800	800 5600	1200 8400		3	44 20.0	21	533	
3 75	White	400 2800	800 5600	1200 8400		3-1/2	58 26.3	21	533	

BullDog Hose Company maintains ongoing product improvement and development programs. Therefore BullDog reserves the right to modify any product or specification without prior notice. If necessary, please contact BullDog Hose Company customer service to ensure that all claims and technical data are current.



DOUBLE-JACKETED HOSE CONSTRUCTED OF 100% HIGH-TENSILE-STRENGTH POLYESTER YARNS PROVIDES HIGH ABRASION RESISTANCE AND MAXIMUM DURABILITY


727-342-5088

You can also email us at [GRP@goodyearrubberproducts.com](mailto:GRP@goodyearrubberproducts.com)



HIGH-TECH EPDM RUBBER-LINED TUBE MINIMIZES FRICTION LOSS WHILE MAXIMIZING FLEXIBILITY





**Bulldog**  
HOSE COMPANY



# WAT-HOG™

## Fuel & Water Delivery Hose

A premium flexible layflat hose designed for the transfer of fuel, wastewater, sewer, treated and reclaimed water. WAT-Hog™ features a unique "through-the-weave" one piece construction comprising a circular woven high tenacity polyester reinforcement totally encapsulated in a tough elastomeric polyurethane cover and lining. Designed for long life and maintenance free service in even the harshest environments. High flexibility and kink resistance allows natural ground contours to be followed without putting stress on the pipeline and eliminates expensive path cutting work.

### TYPICAL APPLICATIONS:

#### Municipal

- Pipeline by-pass
- Waste transfer
- Testing/flushing water mains
- Sewer and water treatment
- Municipal fire services

#### Marine

- Cargo loading/unloading
- Supply ship to off shore facilities

#### Industrial

- High flow dewatering
- Liquid and powder transfer



**YEAR**  
PRODUCTS, INC.

727-342-5088

You can also email us at  
[GRP@goodyearrubberproducts.com](mailto:GRP@goodyearrubberproducts.com)



- Portable chiller operation

#### Military

- Water transfer



Backed by Bulldog's  
Industrial Hose Two-Year Warranty.  
[bulldoghose.com/resources](http://bulldoghose.com/resources)

**Step up your fuel/water delivery!**

Contact us today: 833.655.9201 · [bulldoghose.com](http://bulldoghose.com)

**AMERICAN MADE TOUGH.™**

## FEATURES:

### Long Service Life

Designed for long life and maintenance free service in even the harshest environments. Tough and durable with exceptional resistance to abrasion and cutting for use on a wide variety of ground conditions. No corrosion or scaling. Resistant to fuels, chemicals, UV, ozone, weathering, hydrolysis, and microbiological attack.

### Durable Construction

Features a unique "through-the-weave" one-piece construction comprising a circular woven high tenacity polyester reinforcement totally encapsulated in a tough elastomeric polyurethane cover and lining.

### Easy to Store and Transport

Long-term storage in coiled configurations will have minimal impact on hose life.

### Additional Hardware

A wide range of couplings, manifolds, and hardware available for connecting the hose to additional segments, fluid supplies, or auxiliary hardware.

### Low Operating Costs

A low-pressure loss for efficient pumping. Swells up to 10% above uncharged diameter at maximum operating pressure enabling more water to be pumped.

### Fast Deployment and Retrieval

Long continuous lengths can be quickly deployed and retrieved using a wide variety of systems including light duty trailers, flaking boxes, and power-driven reels. High flexibility and kink resistance allows natural ground contours to be followed without putting stress on the pipeline and eliminates expensive path cutting work. Fewer and faster connections mean reduced labor and equipment costs.

## TECHNICAL SPECIFICATIONS:

Size	Pressure		Wall Thickness	Weight
	Working	Burst		
inch mm	psi kpa	psi kpa	inch mm	lbs/ft kg
2 50	300 2100	600 4200	.08 2.03	.21 0.095
2-1/2 65	300 2100	600 4200	.08 2.03	.30 0.136
3 75	300 2100	600 4200	.09 2.28	.37 0.168
4 100	300 2100	600 4200	.09 2.28	.56 0.254
6 150	300 2100	600 4200	.1 2.54	1.22 0.553
7-1/4 184	250 1800	500 3500	.16 4.06	1.89 0.859

BullDog Hose Company maintains ongoing product improvement and development programs. Therefore BullDog reserves the right to modify any product or specification without prior notice. If necessary, please contact BullDog Hose Company customer service to ensure that all claims and technical data are current.



"THROUGH-THE-WEAVE" ONE-PIECE CONSTRUCTION PROVIDES EXTREME DURABILITY ON HARSH TERRAINS AS WELL AS HIGH FLEXIBILITY AND KINK RESISTANCE





**BullDog**  
HOSE COMPANY

# HOW TO MAINTAIN AND CARE FOR FIRE HOSES



While BullDog Hose Company hose products are in a league of their own with quality and performance, they need to be properly cared for like any other product. A hose that is properly maintained can make all of the difference when facing a fire emergency. In this article we will highlight general guidelines of proper hose maintenance and care to ensure that you get the most out of your BullDog hose. The National Fire Protection Association (NFPA) has a detailed and comprehensive guide for fire hose maintenance, the link is included at the end of this article.



## CLEANING GUIDELINES:

Properly cleaning hoses can truly extend product lifespan. Also, regularly cleaning a hose allows the user to continually gage the condition of the hose. All hoses should be cleaned and inspected after each use before being moved to storage or back into service. Runoff water from fire may carry foreign materials that can damage hose. So in the event of the hose coming in contact with oils or chemicals, a mild detergent may be applied to the affected area using a stiff brush. Then, extensively rinse the hose with clean water. Make sure to look over both sides of the hose for any slices, rips, cracked inner innings, or damaged couplings that may have occurred during use.



## USAGE GUIDELINES:

Following proper fire hose usage during emergency situations can greatly affect how much wear and tear your hose experiences. When using the hose in fire response, avoid dragging



## STORAGE GUIDELINES:

All hoses should be stored in cool, dry and well-ventilated conditions. Hoses should also be drained and dried before being put into long-term storage. Keeping moisture at bay is a must. When loading hoses onto a fire apparatus, the hose should be stowed in such a way to allow air circulation and to minimize abrasion damage. All hoses should be removed from apparatus and reloaded to change the position of fold at least once every three months.



## HOSE TESTING AND INSPECTION GUIDELINES:

Continue to regularly test and inspect your hoses to help ensure that everything is in good working condition. All hoses should be inspected and service tested at least once a year annually. Make sure to check that the hose and couplings are clear of debris, burns, cuts, and abrasions. When conducting service tests, all

EAR  
CTS, INC.

727-342-5088

You can also email us at  
GRP@goodyearrubberproducts.com

noses. Tools such as a nose roller or an intake strainer can help minimize the risk of damage. A hose roller helps prevent damage when dragging the hose over sharp corners such as roof edges and windowsills. Intake strainers attach to supply hoses and filter out large pieces of foreign material that may damage the interior of the hose.

pressure is stenciled on each length of hose. Detailed hose records should be maintained in order to prevent the potential for a damaged hose being put into emergency situations.

For more information about BullDog Hose Company and how to properly maintain hoses, visit [www.bulldoghose.com](http://www.bulldoghose.com).

The full version of the NFPA 1962 standard is available for purchase at [www.nfpa.org](http://www.nfpa.org).

**AMERICAN MADE TOUGH.™**

REFERENCE #BHW010



## MUNICIPAL FIRE HOSE TEN-YEAR WARRANTY

BullDog Hose Company warrants our municipal fire hose products to be free from defects in materials or workmanship for a period of ten years, as measured from the original factory service date. This warranty shall provide for the repair or replacement of hose proven to have failed due to faulty materials or workmanship.

This warranty does not extend to hose subjected to misuse, accident, improper application, storage or repair.

Maximum liability under this warranty is limited to the purchase price of the hose products.

This warranty applies to the following BullDog Hose Company products used in municipal fire applications:

Fireguard	Hi-Vol TPU
Firepower II	Red/Yellow Chief
FloMaster	Ultima
Hi-Combat II	
Hi-Power	
Hi-Vol	

EAR  
CTS, INC.

727-342-5088

You can also email us at  
[GRP@goodyearrubberproducts.com](mailto:GRP@goodyearrubberproducts.com)



**American Made Tough.**

REFERENCE #BHW020



## INDUSTRIAL HOSE TWO-YEAR WARRANTY

BullDog Hose Company warrants our industrial hose products to be free from defects in materials or workmanship for a period of two years, as measured from the original factory service date. This warranty shall provide for the repair or replacement of hose proven to have failed due to faulty materials or workmanship.

This warranty does not extend to hose subjected to misuse, accident, improper application, storage or repair.

Maximum liability under this warranty is limited to the purchase price of the hose products.

This warranty applies to the following BullDog Hose Company products used in industrial applications:

1200	Fuel Hose
AquaGuard	GASynCHEM
Armour Guard	Redskin
Armoured Chemicoil	RR500
Blueskin	Single Jacket
Chiller Hose	SJ750
Covered Mill	WAT-Hog

EAR  
CTS, INC.

727-342-5088

You can also email us at  
[GRP@goodyearrubberproducts.com](mailto:GRP@goodyearrubberproducts.com)



**American Made Tough.**



## IRRIGATION HOSE WARRANTY

### **Premium 200**

#### *TEN-YEAR PRORATED WARRANTY*

BullDog Hose Company warrants that any Premium 200 hose that fails due to faulty materials or workmanship within the first year will qualify for 100% replacement. The warranty period starts when the hose is sold and delivered to the end-user from either the factory's stock or the dealer's stock, but no later than 12 months after the manufacture date. Any part of an additional year of service reduces the value of the hose by 10%. The warranty period ends after ten years of service. This warranty does not extend to hose subjected to misuse, accident, improper application, storage or repair.

### **Armour Guard LDH, Armour Guard TPU, Drag Hose, Mainline**

#### *ONE-YEAR WARRANTY*

BullDog Hose Company warrants that any Armour Guard LDH, Armour Guard TPU, Drag Hose, or Mainline hose that fails due to faulty materials or workmanship within the first year of service will qualify for 100% replacement. The warranty period starts when the hose is sold and delivered to the end-user from either the factory's stock or the dealer's stock, but no later than 12 months after the manufacture date. The warranty period ends after one year of service. This warranty does not extend to hose subjected to misuse, accident, improper application, storage or repair.



***American Made Tough.***

REFERENCE #BHW040



## FORESTRY FIRE HOSE ONE-YEAR WARRANTY

BullDog Hose Company warrants our forestry fire hose products to be free from defects in materials or workmanship for a period of one year, as measured from the original factory service date. This warranty shall provide for the repair or replacement of hose proven to have failed due to faulty materials or workmanship.

This warranty does not extend to hose subjected to misuse, accident, improper application, storage or repair.

Maximum liability under this warranty is limited to the purchase price of the hose products.

This warranty applies to the following BullDog Hose Company products used in forestry fire applications:

- Bushmaster
- Perc-Lite
- Super Marshall

EAR  
CTS, INC.

727-342-5088

You can also email us at  
[GRP@goodyearrubberproducts.com](mailto:GRP@goodyearrubberproducts.com)



***American Made Tough.***